

③ Spiral Pointed Tap Series for through hole

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓn	ℓs	Ds	K	ℓk

JIS

①

Spiral Fluted Taps
(for blind hole)

②

Spiral Fluted Taps
(for through hole)

③

Spiral Pointed Taps
(for through hole)

④

Hand Taps

⑤

Cemented
Carbide Taps

⑥

Roll Taps

⑦

Special Thread Taps
Simple Inspection tools

⑧

Pipe Taps

⑨

Thread Mills
Premium Thread Mills

⑩

Dies

⑪

Center Drills
Centering Tools

⑫

Precision Machinery/
Medical Surgical Instruments

JIS

③-21



PO

Spiral Pointed Taps

Specification

HSS



Tapping Speeds depending on Materials


Medium carbon steels
中炭素鋼
5~10
(m/min)

High carbon steels
高炭素鋼
5~10
(m/min)



Product Features

- The chips from the tap's cutting chamfer are pushed forward. This is optimal for through hole tapping where there are no obstructions created by the chip.
- Straight flutes are shallow so the taps strength is very high.



Chips discharge of a PO tap

Comparison of a PO and + PO tap

PO

For low-speed machining on drilling machines and CNC machining centers

Standard tap series PO for through holes.

Old Name	New Name	Size Range
N-PO	PO	M1.2 ~ M50

The PO and +PO use similar wording but have different meanings.

+PO

For CNC Machining center at medium speed machining. Synchronous feed is recommended.


Plus series + PO for through holes.

Old Name	New Name	Size Range
N+PO	+PO	M3 ~ M6

The PO and +PO use similar wording but have different meanings.

- Both are general-purpose spiral point taps developed for the processing environment of our customers.

Application chart




It is an image diagram of a processable range.

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓ_n	ℓ_s	D_s	K	ℓ_k


3

JIS


TYPE:1




TYPE:2




TYPE:3




TYPE:4




TYPE:5




TYPE:6



TYPE:7



TYPE:8



Spiral Fluted Taps
(for blind hole) ①

Spiral Fluted Taps
(for through hole) ②

Spiral Pointed Taps
(for through hole) ③

Hand Taps ④

Cemented Carbide Taps ⑤

Roll Taps ⑥

Special Thread Taps
Simple Inspection Tools ⑦

Pipe Taps ⑧

Thread Mills
Premium Thread Mills ⑨

Dies ⑩

Center Drills
Centering Tools ⑪

Precision Machinery/
Medical Surgical Instruments ⑫

JIS

③-22

③ Spiral Pointed Tap Series for through hole

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓn	ℓs	Ds	K	ℓk

JIS

PO Spiral Pointed Taps

Oversize

Segment : 1E

Size	Class	Code	Chamfer	L (mm)	ℓ (mm)	ℓn (mm)	ℓs (mm)	Ds (mm)	K (mm)	ℓk (mm)	No. of flutes	TYPE	MSRP
For Metric Threads													
M1.2 × 0.25	P1	POP1.2B	5P	36	4.5	-	24	3	2.5	5	2	1	¥ 4,300
M1.4 × 0.3	P1	POP1.4C	5P	36	5.4	-	24	3	2.5	5	2	1	¥ 3,520
M1.4 × 0.3	P2	POQ1.4C	5P	36	5.4	-	24	3	2.5	5	2	1	¥ 3,520
M1.4 × 0.3	P3	POR1.4C	5P	36	5.4	-	24	3	2.5	5	2	1	¥ 3,520 ※
M1.6 × 0.35	P2	POQ1.6D	5P	36	6.3	-	24	3	2.5	5	2	2	¥ 3,360
M1.6 × 0.35	P3	POR1.6D	5P	36	6.3	-	24	3	2.5	5	2	2	¥ 3,360 ※
M1.7 × 0.35	P2	POQ1.7D	5P	36	6.3	-	24	3	2.5	5	2	2	¥ 3,360
M1.7 × 0.35	P3	POR1.7D	5P	36	6.3	-	24	3	2.5	5	2	2	¥ 3,360
M1.7 × 0.35	P4	POS1.7D	5P	36	6.3	-	24	3	2.5	5	2	2	¥ 3,360 ※
M1.8 × 0.35	P2	POQ1.8D	5P	42	6.3	-	27	3	2.5	5	2	2	¥ 3,360 ※
M2 × 0.4	P2	POQ2.0E	5P	42	7.2	12	27	3	2.5	5	3	3	¥ 2,530
M2 × 0.4	P3	POR2.0E	5P	42	7.2	12	27	3	2.5	5	3	3	¥ 2,680
M2 × 0.4	P4	POS2.0E	5P	42	7.2	12	27	3	2.5	5	3	3	¥ 2,680
M2 × 0.25	P1	POP2.0B	5P	42	4.5	12	27	3	2.5	5	3	4	¥ 4,110 ※
M2.2 × 0.45	P2	POQ2.2F	5P	42	8.1	12	27	3	2.5	5	3	3	¥ 2,440
M2.2 × 0.25	P2	POQ2.2B	5P	42	4.5	12	27	3	2.5	5	3	4	¥ 4,110 ※
M2.3 × 0.4	P2	POQ2.3E	5P	42	7.2	12	27	3	2.5	5	3	3	¥ 2,440
M2.3 × 0.4	P3	POR2.3E	5P	42	7.2	12	27	3	2.5	5	3	3	¥ 2,440
M2.3 × 0.4	P4	POS2.3E	5P	42	7.2	12	27	3	2.5	5	3	3	¥ 2,440 ※
M2.5 × 0.45	P2	POQ2.5F	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,060
M2.5 × 0.45	P3	POR2.5F	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,060
M2.5 × 0.45	P4	POS2.5F	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,060 ※
M2.5 × 0.35	P2	POQ2.5D	5P	46	6.3	14	29	3	2.5	5	3	4	¥ 3,030 ※
M2.6 × 0.45	P2	POQ2.6F	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,060
M2.6 × 0.45	P3	POR2.6F	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,060
M2.6 × 0.45	P4	POS2.6F	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,060 ※
M2.6 × 0.35	P2	POQ2.6D	5P	46	6.3	14	29	3	2.5	5	3	4	¥ 3,030 ※
M3 × 0.5	P2	POQ3.0G	5P	46	9	14	26	4	3.2	6	3	3	¥ 1,360
M3 × 0.5	P3	POR3.0G	5P	46	9	14	26	4	3.2	6	3	3	¥ 1,440
M3 × 0.5	P4	POS3.0G	5P	46	9	14	26	4	3.2	6	3	3	¥ 1,440
3M0.6	P2	POQ3.0H	5P	46	9	14	26	4	3.2	6	3	3	¥ 1,440 ※
M3 × 0.35	P2	POQ3.0D	5P	46	6.5	14	26	4	3.2	6	3	4	¥ 2,460 ※
M3.5 × 0.6	P2	POQ3.5H	5P	52	11	16	29	5	4	7	3	3	¥ 1,440
M3.5 × 0.6	P3	POR3.5H	5P	52	11	16	29	5	4	7	3	3	¥ 1,440 ※
M3.5 × 0.6	P4	POS3.5H	5P	52	11	16	29	5	4	7	3	3	¥ 1,440 ※
M3.5 × 0.35	P2	POQ3.5D	5P	52	6.5	16	29	5	4	7	3	4	¥ 2,460 ※
M4 × 0.7	P2	POQ4.0I	5P	52	11	17	29	5	4	7	3	3	¥ 1,360
M4 × 0.7	P3	POR4.0I	5P	52	11	17	29	5	4	7	3	3	¥ 1,440
M4 × 0.7	P4	POS4.0I	5P	52	11	17	29	5	4	7	3	3	¥ 1,440
4M0.75	P2	POQ4.0J	5P	52	11	17	29	5	4	7	3	3	¥ 1,440 ※
M4 × 0.5	P2	POQ4.0G	5P	52	9	17	29	5	4	7	3	4	¥ 2,110
M4.5 × 0.75	P2	POQ4.5J	5P	60	13	21	33	5.5	4.5	7	3	3	¥ 1,450 ※
M4.5 × 0.5	P2	POQ4.5G	5P	60	9	21	33	5.5	4.5	7	3	4	¥ 2,110 ※
M5 × 0.8	P2	POQ5.0K	5P	60	13	22	33	5.5	4.5	7	3	3	¥ 1,370
M5 × 0.8	P3	POR5.0K	5P	60	13	22	33	5.5	4.5	7	3	3	¥ 1,450
M5 × 0.8	P4	POS5.0K	5P	60	13	22	33	5.5	4.5	7	3	3	¥ 1,450
5M0.9	P2	POQ5.0L	5P	60	13	22	33	5.5	4.5	7	3	3	¥ 1,450 ※
M5 × 0.5	P2	POQ5.0G	5P	60	9	22	33	5.5	4.5	7	3	4	¥ 2,110

① Spiral Fluted Taps (for blind hole)

② Spiral Fluted Taps (for through hole)

③ Spiral Pointed Taps (for through hole)

④ Hand Taps

⑤ Cemented Carbide Taps

⑥ Roll Taps

⑦ Special Thread Taps Simple Inspection Tools

⑧ Pipe Taps

⑨ Thread Mills Premium Thread Mills

⑩ Dies

⑪ Center Drills Centering Tools

⑫ Precision Machinery/ Medical Surgical Instruments

JIS

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓn	ℓs	Ds	K	ℓk

3

JIS

PO Spiral Pointed Taps

Size	Class	Code	Chamfer	L (mm)	ℓ (mm)	ℓn (mm)	ℓs (mm)	Ds (mm)	K (mm)	ℓk (mm)	No. of flutes	TYPE	MSRP
M5.5 × 0.9	P2	POQ5.5L	5P	62	15	26	33	6	4.5	7	3	3	¥ 1,600 *
M5.5 × 0.5	P2	POQ5.5G	5P	62	9	26	33	6	4.5	7	3	4	¥ 2,250 *
M6 × 1	P2	POQ6.0M	5P	62	15	26	33	6	4.5	7	3	3	¥ 1,510
M6 × 1	P3	POR6.0M	5P	62	15	26	33	6	4.5	7	3	3	¥ 1,600
M6 × 1	P4	POS6.0M	5P	62	15	26	33	6	4.5	7	3	3	¥ 1,600
M6 × 0.75	P2	POQ6.0J	5P	62	15	26	33	6	4.5	7	3	3	¥ 2,250
M6 × 0.75	P3	POR6.0J	5P	62	15	26	33	6	4.5	7	3	3	¥ 2,250 *
M6 × 0.75	P4	POS6.0J	5P	62	15	26	33	6	4.5	7	3	3	¥ 2,250 *
M6 × 0.5	P2	POQ6.0G	5P	62	9	26	33	6	4.5	7	3	4	¥ 2,250 *
M7 × 1	P2	POQ7.0M	5P	70	19	-	36	6.2	5	8	3	5	¥ 1,940
M7 × 1	P3	POR7.0M	5P	70	19	-	36	6.2	5	8	3	5	¥ 1,940 *
M7 × 0.75	P2	POQ7.0J	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,870 *
M7 × 0.75	P3	POR7.0J	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,870 *
M7 × 0.5	P2	POQ7.0G	5P	70	10	-	36	6.2	5	8	3	6	¥ 3,580 *
M8 × 1.25	P3	POR8.0N	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,100
M8 × 1.25	P4	POS8.0N	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,230
M8 × 1	P3	POR8.0M	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,530
M8 × 1	P4	POS8.0M	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,530 *
M8 × 0.75	P3	POR8.0J	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,870
M8 × 0.5	P2	POQ8.0G	5P	70	10	-	36	6.2	5	8	3	6	¥ 3,580 *
M9 × 1.25	P3	POR9.0N	5P	75	23	-	38	7	5.5	8	3	5	¥ 2,840 *
M9 × 1	P3	POR9.0M	5P	75	23	-	38	7	5.5	8	3	5	¥ 3,370 *
M9 × 0.75	P3	POR9.0J	5P	75	13	-	38	7	5.5	8	3	6	¥ 4,100 *
M9 × 0.5	P2	POQ9.0G	5P	75	11	-	38	7	5.5	8	3	6	¥ 4,460 *
M10 × 1.5	P3	POR10.0O	5P	75	23	-	38	7	5.5	8	3	5	¥ 2,670
M10 × 1.5	P4	POS10.0O	5P	75	23	-	38	7	5.5	8	3	5	¥ 2,840
M10 × 1.5	P5	POT10.0O	5P	75	23	-	38	7	5.5	8	3	5	¥ 2,840 *
M10 × 1.25	P3	POR10.0N	5P	75	23	-	38	7	5.5	8	3	5	¥ 2,670
M10 × 1.25	P4	POS10.0N	5P	75	23	-	38	7	5.5	8	3	5	¥ 2,840 *
M10 × 1	P3	POR10.0M	5P	75	23	-	38	7	5.5	8	3	5	¥ 3,370
M10 × 1	P4	POS10.0M	5P	75	23	-	38	7	5.5	8	3	5	¥ 3,370 *
M10 × 0.75	P3	POR10.0J	5P	75	13	-	38	7	5.5	8	3	6	¥ 4,100 *
M10 × 0.5	P2	POQ10.0G	5P	75	11	-	38	7	5.5	8	3	6	¥ 4,460 *
M11 × 1.5	P4	POS11.0O	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,020 *
M11 × 1.25	P3	POR11.0N	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,020 *
M11 × 1	P3	POR11.0M	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,730 *
M11 × 0.75	P3	POR11.0J	5P	82	14	-	42	8.5	6.5	9	3	6	¥ 6,030 *
M11 × 0.5	P2	POQ11.0G	5P	82	12	-	42	8.5	6.5	9	3	6	¥ 6,030 *
M12 × 1.75	P4	POS12.0P	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 3,780
M12 × 1.75	P5	POT12.0P	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,020 *
M12 × 1.75	P6	POU12.0P	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,020 *
M12 × 1.5	P3	POR12.0O	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 3,780
M12 × 1.5	P4	POS12.0O	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,020 *
M12 × 1.5	P5	POT12.0O	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,020 *
M12 × 1.25	P4	POS12.0N	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 3,780
M12 × 1.25	P5	POT12.0N	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,020 *
M12 × 1	P3	POR12.0M	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,730
M12 × 1	P4	POS12.0M	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,730 *
M12 × 0.75	P3	POR12.0J	5P	82	14	-	42	8.5	6.5	9	3	6	¥ 6,030 *
M12 × 0.5	P2	POQ12.0G	5P	82	12	-	42	8.5	6.5	9	3	6	¥ 6,030 *

Spiral Fluted Taps
(for blind hole)

①

Spiral Fluted Taps
(for through hole)

②

Spiral Pointed Taps
(for through hole)

③

Hand Taps

④

Cemented
Carbide Taps

⑤

Roll Taps

⑥

Special Thread Taps
Simple Inspection Tools

⑦

Pipe Taps

⑧

Thread Mills
Premium Thread Mills

⑨

Dies

⑩

Center Drills
Centering Tools

⑪

Precision Machinery/
Metal Surgical Instruments

⑫

JIS

③-24

※ = Specified Distribution Items. Made to order products.

 Think threads with
YAMAWA

③ Spiral Pointed Tap Series for through hole

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓn	ℓs	Ds	K	ℓk

JIS

PO Spiral Pointed Taps

① Spiral Fluted Taps
(for blind hole)

② Spiral Fluted Taps
(for through hole)

③ Spiral Pointed Taps
(for through hole)

④ Hand Taps

⑤ Cemented Carbide Taps

⑥ Roll Taps

⑦ Special Thread Taps
Simple Inspection Tools

⑧ Pipe Taps

⑨ Thread Mills
Premium Thread Mills

⑩ Dies

⑪ Center Drills
Centering Tools

⑫ Precision Machinery/
Medical Surgical Instruments

Size	Class	Code	Chamfer	L (mm)	ℓ (mm)	ℓn (mm)	ℓs (mm)	Ds (mm)	K (mm)	ℓk (mm)	No. of flutes	TYPE	MSRP
M13 × 1.75	P4	POS013P	5P	88	26	-	45	10.5	8	11	3	5	¥ 6,360 ※
M13 × 1.5	P3	POR013O	5P	88	26	-	45	10.5	8	11	3	5	¥ 6,360 ※
M13 × 1	P3	POR013M	5P	88	26	-	45	10.5	8	11	3	5	¥ 6,360 ※
M13 × 0.75	P3	POR013J	5P	88	14	-	45	10.5	8	11	3	6	¥ 8,140 ※
M13 × 0.5	P2	POQ013G	5P	88	12	-	45	10.5	8	11	3	6	¥ 8,140 ※
M14 × 2	P4	POS014Q	5P	88	26	-	45	10.5	8	11	3	5	¥ 5,480
M14 × 2	P5	POT014Q	5P	88	26	-	45	10.5	8	11	3	5	¥ 5,480 ※
M14 × 1.5	P3	POR014O	5P	88	26	-	45	10.5	8	11	3	5	¥ 5,480
M14 × 1.5	P4	POS014O	5P	88	26	-	45	10.5	8	11	3	5	¥ 5,480 ※
M14 × 1.5	P5	POT014O	5P	88	26	-	45	10.5	8	11	3	5	¥ 5,480 ※
M14 × 1.25	P3	POR014N	5P	88	26	-	45	10.5	8	11	3	5	¥ 6,360 ※
M14 × 1	P3	POR014M	5P	88	26	-	45	10.5	8	11	3	5	¥ 6,360
M14 × 1	P4	POS014M	5P	88	26	-	45	10.5	8	11	3	5	¥ 6,360 ※
M14 × 0.75	P3	POR014J	5P	88	15	-	45	10.5	8	11	3	6	¥ 8,140 ※
M14 × 0.5	P2	POQ014G	5P	88	12	-	45	10.5	8	11	3	6	¥ 8,140 ※
M15 × 2	P4	POS015Q	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 ※
M15 × 1.5	P3	POR015O	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 ※
M15 × 1	P3	POR015M	5P	95	26	-	48	12.5	10	13	3	5	¥ 8,730 ※
M16 × 2	P4	POS016Q	5P	95	26	-	48	12.5	10	13	3	5	¥ 6,890
M16 × 2	P5	POT016Q	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 ※
M16 × 2	P6	POU016Q	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 ※
M16 × 1.5	P3	POR016O	5P	95	26	-	48	12.5	10	13	3	5	¥ 6,890
M16 × 1.5	P4	POS016O	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 ※
M16 × 1.5	P5	POT016O	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 ※
M16 × 1.25	P3	POR016N	5P	95	26	-	48	12.5	10	13	3	5	¥ 8,730 ※
M16 × 1	P3	POR016M	5P	95	26	-	48	12.5	10	13	3	5	¥ 8,730
M17 × 1.5	P4	POS017O	5P	100	33	-	51	14	11	14	3	5	¥ 9,780 ※
M17 × 1	P4	POS017M	5P	100	18	-	51	14	11	14	3	6	¥ 12,700 ※
M18 × 2.5	P4	POS018R	5P	100	33	-	51	14	11	14	3	5	¥ 9,780
M18 × 2.5	P5	POT018R	5P	100	33	-	51	14	11	14	3	5	¥ 9,780 ※
M18 × 2	P4	POS018Q	5P	100	33	-	51	14	11	14	3	5	¥ 9,780 ※
M18 × 1.5	P4	POS018O	5P	100	33	-	51	14	11	14	3	5	¥ 9,780
M18 × 1.5	P5	POT018O	5P	100	33	-	51	14	11	14	3	5	¥ 9,780 ※
M18 × 1.25	P3	POR018N	5P	100	33	-	51	14	11	14	3	5	¥ 12,700 ※
M18 × 1	P3	POR018M	5P	100	18	-	51	14	11	14	3	6	¥ 12,700
M19 × 1.5	P4	POS019O	5P	105	33	-	50	15	12	15	3	7	¥ 13,400 ※
M19 × 1	P3	POR019M	5P	105	18	-	50	15	12	15	3	8	¥ 17,000 ※
M20 × 2.5	P4	POS020R	5P	105	33	-	50	15	12	15	3	7	¥ 13,400
M20 × 2.5	P5	POT020R	5P	105	33	-	50	15	12	15	3	7	¥ 13,400 ※
M20 × 2.5	P6	POU020R	5P	105	33	-	50	15	12	15	3	7	¥ 13,400 ※
M20 × 2	P4	POS020Q	5P	105	33	-	50	15	12	15	3	7	¥ 13,400 ※
M20 × 1.5	P4	POS020O	5P	105	33	-	50	15	12	15	3	7	¥ 13,400
M20 × 1.5	P5	POT020O	5P	105	33	-	50	15	12	15	3	7	¥ 13,400 ※
M20 × 1	P3	POR020M	5P	105	18	-	50	15	12	15	3	8	¥ 17,000
M22 × 2.5	P4	POS022R	5P	115	33	-	55	17	13	16	3	7	¥ 17,100
M22 × 2.5	P5	POT022R	5P	115	33	-	55	17	13	16	3	7	¥ 17,100 ※
M22 × 2	P4	POS022Q	5P	115	33	-	55	17	13	16	3	7	¥ 17,100 ※
M22 × 1.5	P4	POS022O	5P	115	33	-	55	17	13	16	3	7	¥ 17,100
M22 × 1.5	P5	POT022O	5P	115	33	-	55	17	13	16	3	7	¥ 17,100 ※
M22 × 1	P3	POR022M	5P	115	19	-	55	17	13	16	3	8	¥ 22,100 ※



※ = Specified Distribution Items. Made to order products.

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓn	ℓs	Ds	K	ℓk

PO Spiral Pointed Taps

Size	Class	Code	Chamfer	L (mm)	ℓ (mm)	ℓn (mm)	ℓs (mm)	Ds (mm)	K (mm)	ℓk (mm)	No. of flutes	TYPE	MSRP
M24 × 3	P4	POS024S	5P	120	39	-	55	19	15	18	3	7	¥ 21,300
M24 × 3	P5	POT024S	5P	120	39	-	55	19	15	18	3	7	¥ 21,300 *
M24 × 3	P6	POU024S	5P	120	39	-	55	19	15	18	3	7	¥ 21,300 *
M24 × 2	P4	POS024Q	5P	120	39	-	55	19	15	18	3	7	¥ 21,300
M24 × 1.5	P4	POS024O	5P	120	39	-	55	19	15	18	3	7	¥ 21,300
M24 × 1.5	P5	POT024O	5P	120	39	-	55	19	15	18	3	7	¥ 21,300 *
M24 × 1	P3	POR024M	5P	120	19	-	55	19	15	18	3	8	¥ 27,200 *
M25 × 2	P4	POS025Q	5P	125	39	-	58	19	15	18	3	7	¥ 27,800 *
M25 × 1.5	P4	POS025O	5P	125	39	-	58	19	15	18	3	7	¥ 27,800
M25 × 1	P3	POR025M	5P	125	20	-	58	19	15	18	3	8	¥ 32,900 *
M26 × 3	P4	POS026S	5P	130	39	-	60	20	15	18	4	7	¥ 29,900 *
M26 × 2	P4	POS026Q	5P	130	39	-	60	20	15	18	4	7	¥ 29,900 *
M26 × 1.5	P4	POS026O	5P	130	39	-	60	20	15	18	4	7	¥ 29,900
M26 × 1	P3	POR026M	5P	130	20	-	60	20	15	18	4	8	¥ 36,800 *
M27 × 3	P4	POS027S	5P	130	39	-	60	20	15	18	4	7	¥ 29,900
M27 × 2	P4	POS027Q	5P	130	39	-	60	20	15	18	4	7	¥ 29,900 *
M27 × 1.5	P4	POS027O	5P	130	39	-	60	20	15	18	4	7	¥ 29,900
M27 × 1	P3	POR027M	5P	130	20	-	60	20	15	18	4	8	¥ 36,800 *
M28 × 2	P4	POS028Q	5P	135	46	-	62	23	17	20	4	7	¥ 38,100 *
M28 × 1.5	P4	POS028O	5P	135	46	-	62	23	17	20	4	7	¥ 38,100 *
M28 × 1	P3	POR028M	5P	135	20	-	62	23	17	20	4	8	¥ 47,600 *
M30 × 3.5	P5	POT030T	5P	135	46	-	62	23	17	20	4	7	¥ 38,100
M30 × 3	P4	POS030S	5P	135	46	-	62	23	17	20	4	7	¥ 38,100 *
M30 × 2	P4	POS030Q	5P	135	46	-	62	23	17	20	4	7	¥ 38,100
M30 × 1.5	P4	POS030O	5P	135	46	-	62	23	17	20	4	7	¥ 38,100
M30 × 1	P3	POR030M	5P	135	21	-	62	23	17	20	4	8	¥ 47,600 *
M32 × 3	P4	POMS032S	5P	145	46	-	67	24	19	22	4	7	¥ 44,300 *
M32 × 2	P4	POMS032Q	5P	145	46	-	67	24	19	22	4	7	¥ 44,300 *
M32 × 1.5	P4	POMS032O	5P	145	46	-	67	24	19	22	4	7	¥ 44,300 *
M33 × 3.5	P5	POMT033T	5P	145	46	-	67	25	19	22	4	7	¥ 44,300
M33 × 3	P4	POMS033S	5P	145	46	-	67	25	19	22	4	7	¥ 44,300 *
M33 × 2	P4	POMS033Q	5P	145	46	-	67	25	19	22	4	7	¥ 44,300 *
M33 × 1.5	P4	POMS033O	5P	145	46	-	67	25	19	22	4	7	¥ 44,300 *
M34 × 2	P4	POMS034Q	5P	155	52	-	71	28	21	24	4	7	¥ 51,300 *
M34 × 1.5	P4	POMS034O	5P	155	26	-	71	28	21	24	4	8	¥ 51,300 *
M35 × 2	P4	POMS035Q	5P	155	52	-	71	28	21	24	4	7	¥ 51,300 *
M35 × 1.5	P4	POMS035O	5P	155	26	-	71	28	21	24	4	8	¥ 51,300 *
M36 × 4	P5	POMT036U	5P	155	52	-	71	28	21	24	4	7	¥ 51,300
M36 × 3	P4	POMS036S	5P	155	52	-	71	28	21	24	4	7	¥ 51,300 *
M36 × 2	P4	POMS036Q	5P	155	52	-	71	28	21	24	4	7	¥ 51,300 *
M36 × 1.5	P4	POMS036O	5P	155	26	-	71	28	21	24	4	8	¥ 51,300 *
M38 × 2	P4	POMS038Q	5P	165	52	-	76	30	23	26	4	7	¥ 58,800 *
M38 × 1.5	P4	POMS038O	5P	165	26	-	76	30	23	26	4	8	¥ 58,800 *
M39 × 4	P5	POMT039U	5P	165	52	-	76	30	23	26	4	7	¥ 58,800 *
M39 × 3	P4	POMS039S	5P	165	52	-	76	30	23	26	4	7	¥ 58,800 *
M39 × 2	P4	POMS039Q	5P	165	52	-	76	30	23	26	4	7	¥ 58,800 *
M39 × 1.5	P4	POMS039O	5P	165	26	-	76	30	23	26	4	8	¥ 58,800 *
M40 × 3	P4	POMS040S	5P	175	59	-	81	32	26	30	4	7	¥ 71,500 *
M40 × 2	P4	POMS040Q	5P	175	59	-	81	32	26	30	4	7	¥ 71,500 *
M40 × 1.5	P4	POMS040O	5P	175	27	-	81	32	26	30	4	8	¥ 71,500 *

3	JIS	Spiral Fluted Taps (for blind hole)	①
2	JIS	Spiral Fluted Taps (for through hole)	②
3	JIS	Spiral Pointed Taps (for through hole)	③
4	JIS	Hand Taps	④
5	JIS	Cemented Carbide Taps	⑤
6	JIS	Roll Taps	⑥
7	JIS	Special Thread Taps Simple Inspection Tools	⑦
8	JIS	Pipe Taps	⑧
9	JIS	Thread Mills Premium Thread Mills	⑨
10	JIS	Dies	⑩
11	JIS	Center Drills Centering Tools	⑪
12	JIS	Precision Machinery/ Metal Surgical Instruments	⑫

* = Specified Distribution Items. Made to order products.

③ Spiral Pointed Tap Series for through hole

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓn	ℓs	Ds	K	ℓk

JIS

PO Spiral Pointed Taps

Size	Class	Code	Chamfer	L (mm)	ℓ (mm)	ℓn (mm)	ℓs (mm)	Ds (mm)	K (mm)	ℓk (mm)	No. of flutes	TYPE	MSRP
M42 × 4.5	P5	POMT042V	5P	175	59	-	81	32	26	30	4	7	¥ 71,500 ※
M42 × 3	P4	POMS042S	5P	175	59	-	81	32	26	30	4	7	¥ 71,500 ※
M42 × 2	P4	POMS042Q	5P	175	59	-	81	32	26	30	4	7	¥ 71,500 ※
M42 × 1.5	P4	POMS042O	5P	175	27	-	81	32	26	30	4	8	¥ 71,500 ※
M45 × 4.5	P5	POMT045V	5P	180	59	-	83	35	26	30	4	7	¥ 82,800 ※
M45 × 3	P4	POMS045S	5P	180	59	-	83	35	26	30	4	7	¥ 82,800 ※
M45 × 2	P4	POMS045Q	5P	180	59	-	83	35	26	30	4	7	¥ 82,800 ※
M45 × 1.5	P4	POMS045O	5P	180	27	-	83	35	26	30	4	8	¥ 82,800 ※
M48 × 5	P5	POMT048W	5P	185	65	-	85	38	29	32	4	7	¥ 104,000 ※
M48 × 4	P5	POMT048U	5P	185	65	-	85	38	29	32	4	7	¥ 104,000 ※
M48 × 3	P4	POMS048S	5P	185	65	-	85	38	29	32	4	7	¥ 104,000 ※
M48 × 2	P4	POMS048Q	5P	185	65	-	85	38	29	32	4	7	¥ 104,000 ※
M48 × 1.5	P4	POMS048O	5P	185	28	-	85	38	29	32	4	8	¥ 104,000 ※
M50 × 1.5	P4	POS050O	5P	145	45	-	81	40	32	35	4	7	¥ 113,000 ※
For Unified Threads													
No.0-80UNF	P1	POPUN0B	5P	36	6.3	-	24	3	2.5	5	2	2	¥ 3,980 ※
No.1-64UNC	P1	POPUN1D	5P	42	7.2	-	27	3	2.5	5	2	2	¥ 3,980 ※
No.1-72UNF	P1	POPUN1C	5P	42	7.2	-	27	3	2.5	5	2	2	¥ 3,980 ※
No.2-56UNC	P1	POPUN2E	5P	42	8.1	12	27	3	2.5	5	3	3	¥ 2,810
No.2-64UNF	P1	POPUN2D	5P	42	8.1	12	27	3	2.5	5	3	3	¥ 2,810 ※
No.3-48UNC	P1	POPUN3F	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,380 ※
No.3-56UNF	P1	POPUN3E	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,380 ※
No.4-40UNC	P2	POQUN4H	5P	46	9	14	25	4	3.2	6	3	3	¥ 1,820
No.4-48UNF	P1	POPUN4F	5P	46	9	14	25	4	3.2	6	3	3	¥ 1,820 ※
No.5-40UNC	P2	POQUN5H	5P	52	11	16	28	5	4	7	3	3	¥ 1,690 ※
No.5-44UNF	P1	POPUN5G	5P	52	11	16	28	5	4	7	3	3	¥ 1,690 ※
No.6-32UNC	P2	POQUN6J	5P	52	11	17	27	5	4	7	3	3	¥ 1,690
No.6-40UNF	P2	POQUN6H	5P	52	11	17	27	5	4	7	3	3	¥ 1,690 ※
No.8-32UNC	P2	POQUN8J	5P	60	13	22	31	5.5	4.5	7	3	3	¥ 1,700
No.8-36UNF	P2	POQUN8I	5P	60	13	22	31	5.5	4.5	7	3	3	¥ 1,700 ※
No.10-24UNC	P2	POQUNAM	5P	60	13	22	32	5.5	4.5	7	3	3	¥ 1,700
No.10-32UNF	P2	POQUNAJ	5P	60	13	22	32	5.5	4.5	7	3	3	¥ 1,700
No.12-24UNC	P2	POQUNCM	5P	62	15	26	32	6	4.5	7	3	3	¥ 1,830 ※
No.12-28UNF	P2	POQUNCK	5P	62	15	26	32	6	4.5	7	3	3	¥ 1,830 ※
1/4-20UNC	P2	POQU04N	5P	62	15	26	33	6	4.5	7	3	3	¥ 1,830
1/4-28UNF	P2	POQU04K	5P	62	15	26	33	6	4.5	7	3	3	¥ 1,830
1/4-32UNEF	P2	POQU04J	5P	62	15	26	33	6	4.5	7	3	3	¥ 2,710 ※
1/4-36UNS	P2	POQU04I	5P	62	15	26	33	6	4.5	7	3	3	¥ 3,150 ※
5/16-18UNC	P3	PORU05O	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,570
5/16-24UNF	P2	POQU05M	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,570
5/16-32UNEF	P2	POQU05J	5P	70	19	-	36	6.2	5	8	3	5	¥ 3,580 ※
3/8-16UNC	P3	PORU06P	5P	75	23	-	38	7	5.5	8	3	5	¥ 3,290
3/8-24UNF	P2	POQU06M	5P	75	23	-	38	7	5.5	8	3	5	¥ 3,290
3/8-32UNEF	P2	POQU06J	5P	75	13	-	38	7	5.5	8	3	6	¥ 4,100 ※
7/16-14UNC	P3	PORU07Q	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,630 ※
7/16-20UNF	P3	PORU07N	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,630
7/16-28UNEF	P2	POQU07K	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 6,030 ※
1/2-13UNC	P3	PORU08R	5P	88	26	-	45	10.5	8	11	3	5	¥ 4,910
1/2-20UNF	P3	PORU08N	5P	88	26	-	45	10.5	8	11	3	5	¥ 4,910

① Spiral Fluted Taps (for blind hole)

② Spiral Fluted Taps (for through hole)

③ Spiral Pointed Taps (for through hole)

④ Hand Taps

⑤ Cemented Carbide Taps

⑥ Roll Taps

⑦ Special Thread Taps Simple Inspection Tools

⑧ Pipe Taps

⑨ Thread Mills Premium Thread Mills

⑩ Dies

⑪ Center Drills Centering Tools

⑫ Precision Machinery/Metal Surgical Instruments

JIS

③-27



※ = Specified Distribution Items. Made to order products.

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓn	ℓs	Ds	K	ℓk

3

JIS

PO Spiral Pointed Taps

Size	Class	Code	Chamfer	L (mm)	ℓ (mm)	ℓn (mm)	ℓs (mm)	Ds (mm)	K (mm)	ℓk (mm)	No. of flutes	TYPE	MSRP
1/2-28UNEF	P2	POQU08K	5P	88	26	-	45	10.5	8	11	3	5	¥ 7,240 *
9/16-12UNC	P3	PORU09S	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 *
9/16-18UNF	P3	PORU09O	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 *
5/8-11UNC	P3	PORU10U	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 *
5/8-18UNF	P3	PORU10O	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 *
5/8-24UNEF	P3	PORU10M	5P	95	26	-	48	12.5	10	13	3	5	¥ 10,500 *
3/4-10UNC	P4	POSU12V	5P	105	33	-	50	15	12	15	3	7	¥ 13,400 *
3/4-16UNF	P3	PORU12P	5P	105	33	-	50	15	12	15	3	7	¥ 13,400 *
3/4-20UNEF	P3	PORU12N	5P	105	33	-	50	15	12	15	3	7	¥ 17,000 *
7/8-9UNC	P4	POSU14W	5P	115	33	-	55	17	13	16	3	7	¥ 18,800 *
7/8-14UNF	P3	PORU14Q	5P	115	33	-	55	17	13	16	3	7	¥ 18,800 *
1 -8UNC	P4	POSU16X	5P	125	39	-	58	19	15	18	3	7	¥ 27,800 *
1 -12UNF	P4	POSU16S	5P	125	39	-	58	19	15	18	3	7	¥ 27,800 *
1 -14UNS	P4	POSU16Q	5P	125	39	-	58	19	15	18	3	7	¥ 36,800 *
1 1/8-7UNC	P4	POSU18Y	5P	135	46	-	62	23	17	20	4	7	¥ 38,100 *
1 1/8-8UN	P4	POSU18X	5P	135	46	-	62	23	17	20	4	7	¥ 45,600 *
1 1/8-12UNF	P4	POSU18S	5P	135	46	-	62	23	17	20	4	7	¥ 38,100 *
1 1/4-7UNC	P4	POMSU20Y	5P	145	46	-	67	24	19	22	4	7	¥ 44,300 *
1 1/4-8UN	P4	POMSU20X	5P	145	46	-	67	24	19	22	4	7	¥ 53,100 *
1 1/4-12UNF	P4	POMSU20S	5P	145	46	-	67	24	19	22	4	7	¥ 44,300 *
1 3/8-6UNC	P5	POMTU22Z	5P	155	52	-	71	28	21	24	4	7	¥ 51,300 *
1 3/8-8UN	P5	POMTU22X	5P	155	52	-	71	28	21	24	4	7	¥ 61,500 *
1 3/8-12UNF	P4	POMSU22S	5P	155	52	-	71	28	21	24	4	7	¥ 51,300 *
1 1/2-6UNC	P5	POMTU24Z	5P	165	52	-	76	30	23	26	4	7	¥ 73,400 *
1 1/2-8UN	P5	POMTU24X	5P	165	52	-	76	30	23	26	4	7	¥ 73,400 *
1 1/2-12UNF	P4	POMSU24S	5P	165	52	-	76	30	23	26	4	7	¥ 73,400 *
2 -4 1/2UNC	P5	POTU329	5P	195	70	-	85	40	32	35	4	7	¥138,000 *
2 -8UN	P5	POTU32X	5P	195	70	-	85	40	32	35	4	7	¥138,000 *
2 -12UN	P5	POTU32S	5P	145	45	-	82	40	32	35	4	7	¥138,000 *
For Whitworth Threads													
1/8W40	P2	POQW02H	5P	52	11	16	28	5	4	7	3	3	¥ 2,100 *
5/32W32	P2	POQW2HJ	5P	52	11	17	29	5	4	7	3	3	¥ 1,690 *
3/16W24	P2	POQW03M	5P	60	13	21	32	5.5	4.5	7	3	3	¥ 1,700 *
7/32W24	P2	POQW3HM	5P	62	15	26	32	6	4.5	7	3	3	¥ 1,830 *
1/4W20	P3	PORW04N	5P	62	15	26	33	6	4.5	7	3	3	¥ 1,830 *
5/16W18	P3	PORW05O	5P	70	19	-	36	6.2	5	8	3	5	¥ 2,570 *
3/8W16	P3	PORW06P	5P	75	23	-	38	7	5.5	8	3	5	¥ 3,290 *
7/16W14	P3	PORW07Q	5P	82	26	-	42	8.5	6.5	9	3	5	¥ 4,630 *
1/2W12	P3	PORW08S	5P	88	26	-	45	10.5	8	11	3	5	¥ 4,910 *
9/16W12	P3	PORW09S	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 *
5/8W11	P3	PORW10U	5P	95	26	-	48	12.5	10	13	3	5	¥ 7,320 *
3/4W10	P4	POSW12V	5P	105	33	-	50	15	12	15	3	7	¥ 13,400 *
7/8W9	P4	POSW14W	5P	115	33	-	55	17	13	16	3	7	¥ 18,800 *
1 W8	P4	POSW16X	5P	125	39	-	58	19	15	18	3	7	¥ 27,800 *
1 1/8W7	P4	POSW18Y	5P	135	46	-	62	23	17	20	4	7	¥ 38,100 *
1 1/4W7	P4	POMSW20Y	5P	145	46	-	67	24	19	22	4	7	¥ 44,300 *
1 3/8W6	P5	POMTW22Z	5P	155	52	-	71	28	21	24	4	7	¥ 51,300 *
1 1/2W6	P5	POMTW24Z	5P	165	52	-	76	30	23	26	4	7	¥ 73,400 *
1 3/4W5	P5	POMTW280	5P	180	59	-	83	35	26	30	4	7	¥ 97,000 *
2 W4 1/2	P5	POTW329	5P	195	70	-	85	40	32	35	4	7	¥138,000 *

Spiral Fluted Taps
(for blind hole)

①

Spiral Fluted Taps
(for through hole)

②

Spiral Pointed Taps
(for through hole)

③

Hand Taps

④

Cemented
Carbide Taps

⑤

Roll Taps

⑥

Special Thread Taps
Simple Inspection Tools

⑦

Pipe Taps

⑧

Thread Mills
Premium Thread Mills

⑨

Dies

⑩

Center Drills
Centering Tools

⑪

Precision Machinery/
Metal Surgical Instruments

⑫

JIS

③-28

※ = Specified Distribution Items. Made to order products.

 Think threads with
YAMAWA

③ Spiral Pointed Tap Series for through hole

Overall length	Thread length	Thread + Neck length	Shank length	Shank dia.	Size of square	Length of square
L	ℓ	ℓn	ℓs	Ds	K	ℓk

JIS

PO Spiral Pointed Taps

Size	Class	Code	Chamfer	L (mm)	ℓ (mm)	ℓn (mm)	ℓs (mm)	Ds (mm)	K (mm)	ℓk (mm)	No. of flutes	TYPE	MSRP
For Screw Threads used on Sewing Machines													
3/32SM56	P1	POPS06E	5P	46	8.1	14	29	3	2.5	5	3	3	¥ 2,850 ※
1/8SM40	P2	POQS08H	5P	52	11	16	28	5	4	7	3	3	¥ 2,100 ※
1/8SM44	P2	POQS08G	5P	52	11	16	28	5	4	7	3	3	¥ 2,100 ※
9/64SM40	P2	POQS09H	5P	52	11	16	29	5	4	7	3	3	¥ 2,100 ※
11/64SM40	P2	POQS11H	5P	60	13	21	33	5.5	4.5	7	3	3	¥ 2,050 ※
3/16SM28	P2	POQS12K	5P	60	13	21	32	5.5	4.5	7	3	3	¥ 2,050 ※
3/16SM32	P2	POQS12J	5P	60	13	21	32	5.5	4.5	7	3	3	¥ 2,050 ※
7/32SM32	P2	POQS14J	5P	62	15	26	33	6	4.5	7	3	3	¥ 2,190 ※
15/64SM28	P2	POQS15K	5P	62	15	26	33	6	4.5	7	3	3	¥ 2,190 ※
1/4SM24	P2	POQS16M	5P	62	15	26	33	6	4.5	7	3	3	¥ 2,190 ※
1/4SM40	P2	POQS16H	5P	62	8.6	26	33	6	4.5	7	3	4	¥ 3,150 ※

①

Spiral Fluted Taps
(for blind hole)

②

Spiral Fluted Taps
(for through hole)

③

Spiral Pointed Taps
(for through hole)

④

Hand Taps

⑤

Cemented Carbide Taps

⑥

Roll Taps

⑦

Special Thread Taps
Simple Inspection Tools

⑧

Pipe Taps

⑨

Thread Mills
Premium Thread Mills

⑩

Dies

⑪

Center Drills
Centering Tools

⑫

Precision Machinery/
Medical Surgical Instruments

JIS

③-29

 Think threads with
YAMAWA

※ = Specified Distribution Items. Made to order products.